

## Demographic characteristics of the MCS population in Canada, 2020

Introduction: this document presents the prevalence of MCS and at least one other chronic condition in Canada in 2020.

Source: Canadian Community Health Survey (CCHS) 2020, Statistics Canada. Received October 2021.

ASEQ-EHAQ Association pour la santé environnementale du Québec • Environmental Health Association of Québec C.P./P.O. # 364, Saint-Sauveur, Québec JOR 1RO 514-332-4320 • bureau@aseq-ehaq.ca • office@aseq-ehaq.ca aseq-ehaq.ca • ecoasisquebec.ca

Français : HypersensibiliteEnvironnementale.com LaVieEcolo.ca English: Environmentalsensitivities.com EcoLivingGuide.ca



The table below illustrates the presence and absence of chronic conditions among those with or without MCS, by age, Canada, 2020.

Condition	Stratifier	Age	Number of people	CV	95% Confidence interval (number)	Percentage of people	CV	95% Confidence interval
			people			orpeople		(percentage)
	Total population	Total	1,130,800	4.28	1,035,900 - 1,225,700	3.52	4.38	3.22 - 3.81
Has MCS		55 and under	576,900	7.12	496,400 - 657,500	2.77	7.11	2.38 - 3.16
		Over 55	553,900	4.66	503,200 - 604,500	4.88	4.62	4.44 - 5.33
	Has at least 1	Total	879,200	4.64	799,300 - 959,200	77.75	2.68	73.67 - 81.84
	other physical	55 and under	402,000	8.11	338,200 - 465,900	69.69	5.2	62.58 - 76.79
	chronic condition	Over 55	477,200	4.72	433,100 - 521,300	86.16	2.02	82.75 - 89.57
	No other chronic	Total	251,600	11	197,300 - 305,800	22.25	9.38	18.16 - 26.33
	condition	55 and under	174,900	14.79	124,200 - 225,600	30.31	11.95	23.21 - 37.42
		Over 55	76,700	14.46	54,900 - 98,400	13.84	12.57	10.43 - 17.25
	Total population	Total	31,034,700	0.16	30,936,700 - 31,132,800	96.48	0.16	96.19 - 96.78
		55 and under	20,246,000	0.38	20,093,300 - 20,398,600	97.23	0.2	96.84 - 97.62
No MCS		Over 55	10,788,800	0.65	10,650,500 - 10,927,100	95.12	0.24	94.67 - 95.56
	Has at least 1	Total	13,979,600	0.97	13,712,500 - 14,246,700	45.04	0.97	44.19 - 45.9
	other physical	55 and under	6,370,600	1.95	6,126,700 - 6,614,400	31.47	1.91	30.29 - 32.64
	chronic condition	Over 55	7,609,000	0.99	7,461,500 - 7,756,600	70.53	0.8	69.42 - 71.63
	No other chronic	Total	17,055,100	0.82	16,779,700 - 17,330,600	54.96	0.8	54.1 - 55.81
	condition	55 and under	13,875,400	0.95	13,617,700 - 14,133,100	68.53	0.88	67.36 - 69.71
		Over 55	3,179,700	2.08	3,050,300 - 3,309,200	29.47	1.91	28.37 - 30.58

Source: Canadian Community Health Survey (CCHS) 2020



Note: the list of chronic conditions includes asthma, chronic obstructive pulmonary disease (COPD), fibromyalgia, arthritis, hypertension, heart disease, suffers from the effects of a stroke, diabetes, dementia, chronic fatigue syndrome, mood disorder or anxiety disorder. Summary description:

- Approximatively **3.52%** of the total Canadian population have a diagnosis of MCS.
- 77.75% of people diagnosed with MCS have **at least one other additional chronic condition** whereas 45.04% of the general population without MCS have an additional chronic condition.
- For people diagnosed with MCS over the age of 55, about 86.16% have at least one other additional chronic condition. Whereas, 70.53% of the general population without MCS have an additional chronic condition.



The table below illustrate the presence and absence of chronic conditions among those with or without MCS, by sex, Canada, 2020.

Condition	Stratifier	Age	Number of	CV	95% Confidence interval	Percentage	CV	95% Confidence
		_	people		(number)	of people		interval (percentage)
Has MCS	Total population	Total	1,130,800	4.28	1,035,900 - 1,225,700	3.52	4.28	3.22 - 3.81
		Male	315,100	8.91	260,100 - 370,200	1.98	8.92	1.64 - 2.33
		Female	815,700	4.79	739,100 - 892,200	5.02	4.79	4.54 - 5.49
	Has at least 1 other	Total	879,200	4.64	799,300 - 959,200	77.75	2.68	73.67 - 81.84
	physical chronic	Male	243,900	10.14	195,400 - 292,400	77.39	4.49	70.58 - 84.21
	condition	Female	635,300	4.96	573,600 - 697,100	77.89	3.25	72.93 - 82.85
	No other chronic condition	Total	251,600	11	197,300 - 305,800	22.25	9.38	18.16 - 26.33
		Male	71,200 <sup>E</sup>	17.6	46,700 - 95,800	22.61 <sup>E</sup>	15.37	15.79 - 29.42
		Female	180,300	13.64	132,100 - 228,500	22.11	11.45	17.15 - 27.07
	Total population	Total	31,034,700	0.16	30,936,700 - 31,132,800	96.48	0.16	96.19 - 96.78
		Male	15,587,000	0.2	15,526,600 - 15,647,400	98.02	0.18	97.67 - 98.36
No MCS		Female	15,447,700	0.26	$15,\!370,\!000 - 15,\!525,\!500$	94.98	0.25	94.51 - 95.46
	Has at least 1 other	Total	13,979,600	0.97	13,712,500 - 14,246,700	45.04	0.97	44.19 - 45.9
	physical chronic	Male	6,630,400	1.45	6,442,100 - 6,818, 800	42.54	1.45	41.33 - 43.75
	condition	Female	7,349,200	1.28	7,165,400 - 7,532,900	47.57	1.26	46.4 - 48.74
	No other chronic	Total	17,055,100	0.82	16,779,700 - 17,330,600	54.96	0.8	54.1 - 55.81
	condition	Male	8,956,600	1.1	8,762,900 - 9,150,200	57.46	1.07	56.25 - 58.67
		Female	8,098,600	1.17	7,912,400 - 8,284,800	52.43	1.14	51.26 - 53.6

Source: Canadian Community Health Survey (CCHS) 2020

E: use with caution




Note: the list of chronic conditions includes asthma, chronic obstructive pulmonary disease (COPD), fibromyalgia, arthritis, hypertension, heart disease, suffers from the effects of a stroke, diabetes, dementia, chronic fatigue syndrome, mood disorder or anxiety disorder.

Summary description

- For people diagnosed with MCS, females (77.89%) and males (77.39%) have similar prevalence of having at least one another chronic condition at national level
- For the general Canadian population: more females (47.47%) have an additional chronic condition than males (42.54%).



The graph shows the comparison between the general population and the population living MCS, grouped by age and sex.



Summary description: In Canada, the population diagnosed with MCS are **more likely to have at least one additional chronic condition than** the population without MCS, **regardless of age or sex**.